

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L2 | 0 | (modif\$5 near5 network near2 topology) ((claculat\$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:25 |
| L3 | 0 | (modif\$5 near5 network near2 topology) same ((claculat\$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:25 |
| L4 | 0 | (modif\$5 near5 network near2 topology) and ((claculat\$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:26 |
| L5 | 102 | (modif\$5 near5 network near2 topology) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:26 |
| L6 | 0 | (modif\$5 near5 network near2 topology) same ((traffic or data or packet) near6 (flow near4 model)) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:27 |
| L7 | 1 | (modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 (flow near4 model)) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:27 |
| L8 | 46 | (modif\$5 near5 network near2 topology) and "370"/\$.cls. and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:30 |

| | | | | | | |
|-----|----|---|--|-----|-----|------------------|
| L9 | 0 | (modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3 or traffic)) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:42 |
| L10 | 1 | (modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:43 |
| L11 | 38 | (modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 flow) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:44 |
| L12 | 15 | (modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 flow) and "370"/\$. ccls. and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 10:44 |
| L13 | 0 | (linear near3 program\$5) same (("non" near2 linear) near5 object) and "370"/\$. ccls. and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 11:10 |
| L14 | 0 | (linear near3 program\$5) and (("non" near2 linear) near5 object) and "370"/\$. ccls. and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 11:10 |
| L15 | 29 | (linear near3 program\$5) and ("non" near2 linear) and "370"/\$.ccls. and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 11:10 |
| L16 | 1 | (linear near3 program\$5) and (upper with (traffic near3 flow)) and "370"/\$. ccls. and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/18 11:33 |

| | | | | | | |
|----|-----|---|---|----|-----|---------------------|
| S1 | 571 | (calculat\$3 near2 traffic near2 flow) same (calculat\$3 near2 (flow or load)) same (data near2 measur\$5) and 370/229.ccls. or 370/253.ccls. or 370/395.41.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/27 17:40 |
| S2 | 427 | S1 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/27 17:40 |
| S3 | 28 | S2 and (plurality near2 (node or router)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/27 17:36 |
| S4 | 0 | (plurality near2 (node or router)) same ((measur\$4 near2 (data or traffic) near2 flow near2 load)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:08 |
| S5 | 3 | (calculat\$3 near2 traffic near2 flow) same (calculat\$3 near2 (flow or load)) same (data near2 measur\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/27 17:39 |
| S6 | 0 | S5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/27 17:40 |
| S7 | 573 | (calculat\$3 near2 traffic near2 flow) same (calculat\$3 near2 (flow or load)) and 370/229.ccls. or 370/253.ccls. or 370/395.41.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/27 17:41 |
| S8 | 1 | S1 and (load near2 balanc\$3) with ((fail\$3 or disconnect\$3) near3 (route or path)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/27 17:43 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S9 | 0 | (plurality near2 (node or router)) and ((measur\$4 near2 (data or traffic) near2 flow near2 load)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 14:48 |
| S10 | 571 | (calculat\$3 near2 traffic near2 flow) same (calculat\$3 near2 (flow or load)) same (data near2 measur\$5) and 370/229.ccls. or 370/253.ccls. or 370/395.41.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:10 |
| S11 | 427 | S10 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:10 |
| S12 | 1 | S11 and ((calculat\$3 near3 (upper or lower)) near3 (bound near3 (traffic or load))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:34 |
| S13 | 1 | S11 and ((calculat\$3 near9 (upper or maximum or lower or minimum)) near6 (bound near3 (traffic or load))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:35 |
| S14 | 1 | S11 and ((calculat\$3 with (upper or maximum or lower or minimum)) with (bound near9 (traffic or load))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:36 |
| S15 | 1 | S11 and ((calculat\$3 with (upper or maximum or lower or minimum)) with (bound same (traffic or load))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:36 |
| S16 | 2 | S11 and ((calculat\$3 with (upper or maximum or lower or minimum)) same (bound same (traffic or load))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:45 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| S17 | 2 | S11 and ((calculat\$3 same (upper or maximum or lower or minimum)) same (bound same (traffic or load))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:46 |
| S18 | 2 | S11 and ((calculat\$3 same ((upper or maximum) or (lower or minimum))) same (bound same (traffic or load))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 09:50 |
| S19 | 6 | S11 and ((calculat\$3 same ((upper or maximum) or (lower or minimum))) and (bound same (traffic or load))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 10:47 |
| S20 | 19 | S11 and (modif\$4 near2 network near2 topology) or (modif\$4 near2 rout\$3 near2 algorithm near2 parameter) or (modif\$4 near2 traffic near2 constrain) or (modif\$4 near2 traffic near2 load) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:06 |
| S21 | 45 | S11 and ((network near2 topology) or ((initial or original) near2 network near2 behaviour)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:20 |
| S22 | 6 | S20 and ((network near2 topology) or ((initial or original) near2 network near2 behaviour)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:51 |
| S23 | 0 | S11 and ((depend\$3 near2 factor) same ((network near2 topology) or ((initial or original) near2 network near2 behaviour))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:31 |
| S24 | 0 | S11 and ((depend\$3 near2 factor) and ((network near2 topology) or ((initial or original) near2 network near2 behaviour))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:26 |

| | | | | | | |
|-----|---|---|---|----|-----|---------------------|
| S25 | 0 | S11 and ((initial or original) near2 network near2 behaviour) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:27 |
| S26 | 0 | S11 and ((initial or original) with (network near2 behaviour)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:28 |
| S27 | 2 | S11 and ((initial or original) and (network near2 behaviour)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:28 |
| S28 | 0 | S11 and ((modif\$5 near2 factor) same ((network near2 topology) or ((initial or original) near2 network near2 behaviour))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:32 |
| S29 | 0 | S11 and ((modif\$5 near8 factor) same ((network near2 topology) or ((initial or original) near2 network near2 behaviour))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:33 |
| S30 | 0 | S11 and ((modif\$5 near8 factor) same ((network near2 topology) or ((initial or original) near8 network near8 behaviour))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:33 |
| S31 | 0 | S11 and ((modif\$5 near8 factor) and ((network near2 topology) or ((initial or original) near8 network near8 behaviour))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:33 |
| S32 | 0 | S11 and ((modif\$5 near8 topology) and ((network near2 topology) or ((initial or original) near8 network near8 behaviour))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:34 |
| S33 | 0 | S11 and ((modif\$5 near8 topology) and ((network near8 topology) or ((initial or original) near8 network near8 behaviour))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:35 |

| | | | | | | |
|-----|----|---|---|----|-----|---------------------|
| S34 | 0 | S11 and ((modif\$5 near8 topology) same ((initial or original) near8 network near8 behaviour)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:35 |
| S35 | 0 | S11 and ((modif\$5 near8 topology) and ((initial or original) near8 network near8 behaviour)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:36 |
| S36 | 61 | S11 and ((modif\$5 near8 topology) and ((initial or original) near8 network near8 behaviour) or topology) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:38 |
| S37 | 0 | S11 and ((network near2 topology near2 (modif\$6 or change)) near3 (depend \$3 near2 existing near2 network near2 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:41 |
| S38 | 0 | S11 and ((network near2 topology near6 (modif\$6 or change)) same(depend \$3 near2 existing near2 network near2 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:42 |
| S39 | 0 | S11 and ((network near2 topology near6 (modif\$6 or change)) same (depend \$3 near2 existing near6 network near6 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:42 |
| S40 | 0 | S11 and ((network near2 topology near6 (modif\$6 or change)) and (depend \$3 near6 existing near6 network near6 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:42 |
| S41 | 0 | S11 and ((network near6 topology near6 (modif\$6 or change)) and (depend \$3 near6 existing near6 network near6 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:43 |
| S42 | 0 | S11 and ((network near12 topology with (modif\$6 or change)) and (depend\$3 near12 existing near12 (network near6 topology))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:44 |

| | | | | | | |
|-----|---|---|---|----|-----|---------------------|
| S43 | 0 | S11 and ((network near2 topology with (modif\$6 or change)) and (network near2 behaviour)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:45 |
| S44 | 2 | S20 and (routing near2 (procedure or configgurat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:12 |
| S45 | 2 | S20 and (routing near9 (procedure or configgurat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:14 |
| S46 | 2 | S20 and (routing with (procedure or configgurat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:18 |
| S47 | 2 | S20 and (routing same (procedure or configgurat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:19 |
| S48 | 1 | S20 and ((network near2 topology) with (routing near3 (procedure or configgurat\$3))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:54 |
| S49 | 2 | S20 and ((network near2 topology) and (routing near3 (procedure or configgurat\$3))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:54 |
| S50 | 2 | S20 and ((network near2 topology) and (routing same (procedure or configgurat\$3))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 12:55 |
| S51 | 4 | S20 and ((network near2 topology) and (routing same (procedure or configgurat\$3 or method))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:09 |

| | | | | | | |
|-----|---|---|---|----|-----|---------------------|
| S52 | 2 | S20 and (perform\$3 near6 (routing same (procedure or configgurat\$3 or method))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:11 |
| S53 | 1 | S11 and (perform\$3 near6 (routing same (procedure or configgurat\$3 or method))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:12 |
| S54 | 1 | S11 and (perform\$3 near6 (routing with (procedure or configgurat\$3 or method))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:12 |
| S55 | 1 | S11 and (routing near2 (procedure or configgurat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:13 |
| S56 | 4 | S11 and (routing near9 (procedure or configgurat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:14 |
| S57 | 4 | S11 and (routing with (procedure or configgurat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:18 |
| S58 | 9 | S11 and (routing same (procedure or configgurat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 13:19 |
| S59 | 0 | S11 and ((iput or incomming) near3 (data near2 correct\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 14:50 |
| S60 | 0 | S11 and ((iput or incomming) same(data near2 correct\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 14:50 |

| | | | | | | |
|-----|----|---|---|----|-----|---------------------|
| S61 | 0 | S11 and ((iput or incomming) same (data near2 correct\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 14:51 |
| S62 | 0 | S11 and ((iput or incomming) same (data near8 correct\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 14:51 |
| S63 | 34 | S11 and (data near8 correct\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 15:18 |
| S64 | 0 | S11 and (data near8 correct\$3) with ((routing near2 protocol) or (network near2 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 15:20 |
| S65 | 0 | S11 and ((data near8 correct\$3) with ((routing near2 protocol) or (network near2 topology))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 15:20 |
| S66 | 7 | S11 and ((data near8 correct\$3) and ((routing near2 protocol) or (network near2 topology))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 15:22 |
| S67 | 4 | S11 and ((data near8 correct\$3) with ((routing near8 protocol) or (network near8topology))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 15:27 |
| S68 | 4 | S11 and ((data near8 correct\$3) with ((rout\$3 near8 protocol) or (network near8topology))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 15:35 |
| S69 | 76 | S11 and ((packet near2 size) or (rout\$3 near2 protocol)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 15:52 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S70 | 1 | S11 and ((load near2 balanc\$3) with ((packet near2 size) or (rout\$3 near2 protocol))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 16:07 |
| S71 | 335 | S11 and ((load near2 balanc\$3) with (data near2 rout\$3) or link or router or error) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 16:09 |
| S72 | 335 | S11 and ((load near2 balanc\$3) with (data near2 rout\$3) or (link or router or error)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 16:15 |
| S73 | 7 | S11 and ((load near2 balanc\$3) with (rout\$3 or link or router or error)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 16:19 |
| S74 | 2 | S11 and ((load near2 balanc\$3) with ((data near2 rate) or (network near2 protocol) or TCP or IP or UDP)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 17:13 |
| S75 | 18 | S11 and (network near2 management near2 system) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 17:29 |
| S76 | 0 | S11 and ((network near2 management near2 system) with (plurality near2 node)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 17:16 |
| S77 | 0 | S11 and ((network near2 management near2 system) same (plurality near2 node)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 17:16 |
| S78 | 2 | S11 and ((network near2 management near2 system) and (plurality near2 node)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 17:16 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S79 | 38 | S11 and (computer near2 program) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/28 17:31 |
| S80 | 571 | (calculat\$3 near2 traffic near2 flow) same (calculat \$3 near2 (flow or load)) same (data near2 measur \$5) and 370/229.ccls. or 370/253.ccls. or 370/395.41.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 08:46 |
| S81 | 427 | S80 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 08:49 |
| S82 | 0 | S81 and (traffic near2 flow near2 model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 08:50 |
| S83 | 1 | S81 and (traffic near8 flow near8 model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 08:52 |
| S84 | 1 | S81 and (traffic near12 flow near12 model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 08:53 |
| S85 | 1 | S81 and (traffic with (flow near12 model)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 08:53 |
| S86 | 3 | S81 and ((traffic or data or load) with (flow near12 model)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 09:19 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S87 | 5 | S81 and ((traffic or data or load) and (flow near12 model)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 10:34 |
| S88 | 45 | S81 and (network near2 topology) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 10:37 |
| S89 | 0 | S81 and ((input near2 data) near3 consistency) with ((data or informat\$3) with (network near2 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 10:41 |
| S90 | 0 | S81 and ((input near2 data) near3 consistency) same ((data or informat \$3) same (network near2 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 10:41 |
| S91 | 0 | S81 and ((input near2 data) near3 consistency or proport\$5) same ((data or informat\$3) same (network near2 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 10:42 |
| S92 | 4 | S81 and ((input near2 data) near3 consistency or proport\$5) and ((data or informat\$3) same (network near2 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 11:04 |
| S93 | 6 | S81 and ((input near2 data) near3 consistency or proport\$5 or vary\$3) and ((data or informat\$3) with (network near2 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 11:13 |
| S94 | 6534 | S81 and (verify\$3 near2 (input near2 data)) or ((data or informat\$3) with (network near2 topology)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 11:17 |
| S95 | 14 | S81 and ((verify\$3 near2 (input near2 data)) or ((data or informat\$3) with (network near2 topology))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/31 11:17 |

| | | | | | | |
|------|-------|---|---|-----|-----|---------------------|
| S96 | 40067 | modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/07 12:31 |
| S97 | 169 | modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/07 12:31 |
| S98 | 113 | modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm parameter) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/07 12:31 |
| S99 | 140 | modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm parameter or traffic load) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/07 12:32 |
| S100 | 0 | modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm parameter) and calculat\$5 near9 traffic value and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/07 12:33 |
| S101 | 28 | modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm parameter) and communication network and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/07 12:34 |
| S102 | 7 | (upper and lower) near3 bound same interdepend \$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:22 |
| S103 | 68 | (upper and lower) near3 bound and interdepend\$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:22 |
| S104 | 5 | (upper and lower) near3 bound and interdepend\$5 and plural\$5 near3 constrai \$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:23 |

| | | | | | | |
|------|----|---|---|-----|-----|---------------------|
| S105 | 6 | (upper and lower) near3 bound and interdepend\$5 and plural\$5 near6 constrai \$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:23 |
| S106 | 9 | (upper and lower) near3 bound and interdepend\$5 and plural\$5 near9 constrai \$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:24 |
| S107 | 0 | (upper and lower) near3 bound and interdepend\$5 and plural\$5 near9 constrai \$5 and traffic flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:24 |
| S108 | 9 | (upper and lower) near9 bound and interdepend\$5 and plural\$5 near9 constrai \$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:29 |
| S109 | 3 | (upper and lower) near9 bound and inter near3 depend\$5 and plural\$5 near9 constrai\$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:30 |
| S110 | 37 | traffic flow near3 model and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:33 |
| S111 | 1 | (upper and lower) near3 bound and interdepend\$5 and traffic flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:35 |
| S112 | 1 | (upper and lower) bound and interdepend\$5 and traffic flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:40 |
| S113 | 1 | (upper and lower) near6 bound and interdepend\$5 and traffic flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:40 |

| | | | | | | |
|------|--------|--|---|-----|-----|---------------------|
| S114 | 0 | (upper and lower) near6 bound and interdepend\$5 and constrain\$5 @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:41 |
| S115 | 0 | (upper and lower) near6 bound and interdepend\$5 and (constrain\$5 or limit) @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:42 |
| S116 | 1 | (upper and lower) bound and traffic flow near3 model and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:44 |
| S117 | 130 | (upper and lower) bound and traffic flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:50 |
| S118 | 137 | (upper and lower) near3 bound and traffic flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:50 |
| S119 | 1 | (upper and lower) near3 bound and interdepend\$5 and traffic flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 11:52 |
| S120 | 2 | initial near6 flow value and modif\$5 value and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 12:10 |
| S121 | 22 | calcula\$5 near6 traffic value and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 12:11 |
| S122 | 220332 | calcula\$5 near6 value and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 12:12 |

| | | | | | | |
|------|-------|---|---|-----|-----|---------------------|
| S123 | 15291 | calcula\$5 near6 value with chang\$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 12:13 |
| S124 | 4 | calcula\$5 near6 (dynamic \$5 or chang\$5) near9 traffic value and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 12:17 |
| S125 | 1 | (calcula\$5 or determin\$5 or comput\$5) near6 (dynamic\$5 or chang\$5) near9 traffic value same (parameter or constrain\$5) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 12:23 |
| S126 | 38804 | (chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 12:57 |
| S127 | 3420 | (chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain \$5 or limit\$5 or boundar \$5) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:01 |
| S128 | 682 | (chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain \$5 or limit\$5 or boundar \$5) same (interdepend\$5 or depend\$5 or relati\$8) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:04 |
| S129 | 0 | (chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain \$5 or limit\$5 or boundar \$5) same (interdepend\$5 or depend\$5 or relati\$8) and (claculat\$5 or comput \$5 or determin\$5) near6 traffic value and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:05 |

| | | | | | | |
|------|-------|---|--|-----|-----|------------------|
| S130 | 2 | (chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain\$5 or limit\$5 or boundar\$5) same (interdepend\$5 or depend\$5 or relati\$8) and (claculat\$5 or comput\$5 or determin\$5) near6 traffic flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:06 |
| S131 | 2 | (chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain\$5 or limit\$5 or boundar\$5) same (interdepend\$5 or depend\$5 or relati\$8) and (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:07 |
| S132 | 8 | (chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain\$5 or limit\$5 or boundar\$5) same (interdepend\$5 or depend\$5 or relati\$8) and (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:07 |
| S133 | 12568 | (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:11 |
| S134 | 360 | (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:14 |
| S135 | 326 | (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:16 |

| | | | | | | |
|------|-----|---|---|-----|-----|---------------------|
| S136 | 257 | (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:18 |
| S137 | 0 | (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and traffic flow modeland (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:19 |
| S138 | 0 | (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and traffic flow model and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:19 |
| S139 | 4 | (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and flow model and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:19 |
| S140 | 4 | (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) and (calculat\$5 or comput\$5 or determin\$5) near6 flow and flow model and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:26 |

| | | | | | | |
|------|------|---|---|-----|-----|---------------------|
| S141 | 105 | (calculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and (constrain\$5 or limit or boundar\$5) and (calculat\$5 or comput\$5 or determin\$5) near6 flow and flow model and (interdepend\$5 or dependen\$5 or relati\$8) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:26 |
| S142 | 14 | (calculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and flow model and (interdepend\$5 or dependen\$5 or relati\$8) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/12 13:27 |
| S143 | 2 | "5,448,621".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/14 11:24 |
| S144 | 2084 | linear program\$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/14 13:02 |
| S145 | 31 | linear program\$5 with linear object\$5 and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/14 13:03 |
| S146 | 31 | linear program\$5 with linear object\$5 and data and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/14 13:05 |
| S147 | 1 | linear program\$5 with linear object\$5 and data traffic and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/08/14 13:05 |

| | | | | | | |
|------|-----|---|---|-----|-----|---------------------|
| S148 | 112 | ((claculat\$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/17 18:48 |
| S149 | 9 | ((claculat\$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and ((modif\$5 or different) near4 (scenario or condit\$3 or traffic)) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/17 18:51 |
| S150 | 12 | ((claculat\$5 or comput\$5 or determin\$5) near8 ((traffic or data or packet) near6 (flow near4 (model or configura\$5)))) and ((modif\$5 or different) near4 (scenario or condit \$3 or traffic)) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/17 19:13 |
| S151 | 145 | ((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3 or traffic)) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/17 19:18 |
| S152 | 63 | ((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3)) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/17 19:19 |
| S153 | 9 | (dynami\$5 or instantaneous\$5) same ((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3)) and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/17 19:24 |
| S154 | 4 | ((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3)) and "370"/\$.cls. and @ad<"20020301" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/17 19:27 |

3/ 18/ 2009 2:35:16 PM

C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10505444.wsp